

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3413	717/140-161.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 12:11
L2	17	1 and (code near3 obfuscat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 12:11
L3	6	2 and (insert\$3 with instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 12:13
L4	4	3 and (seed random)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 12:13
S1	265	code near3 obfuscat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 13:19
S2	63	S1 and (insert\$3 with (code instructions)) same (obfuscat\$4 decompil\$5 (reverse near2 engineer\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 14:52
S3	0	S2 and inert	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 13:22
S4	13	S2 and dummy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 13:22

## EAST Search History

S5	3	US-5335332-\$.DID. OR US-5321828-\$.DID. OR US-6643775-\$.DID.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/28 13:50
S6	28	S2 and (seed pool)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 16:50
S7	1	obfusc\$4 and ((inert dummy) with (code instruction) with padding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 16:51
S8	0	(reverse with engineering) and ((inert dummy) with (code instruction) with padding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 16:46
S9	209	((inert dummy) with (code instruction) with padding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 16:55
S10	4	(insert\$3 with garbage with code) and obfusc\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 17:06
S11	2	"6779114".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 17:06
S12	11	obfusc\$5 with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 17:52
S13	2	"7054443".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 16:52

## EAST Search History

S14	7	code with obfuscat\$4 and (opaque with insert\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 18:36
S15	7	obfuscat\$4 and (opaque with insert\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 18:37
S16	31	obfuscat\$4 and ((opaque dummy) with instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 18:37
S17	16	S16 and (random\$4 with instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 18:51
S18	33	obfuscat\$4 and (random\$4 with pool)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 18:53
S19	0	OBFUSCATION TECHNIQUES FOR ENHANCING SOFTWARE SECURITY	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/12/01 19:11
S20	0	"OBFUSCATION TECHNIQUES FOR ENHANCING SOFTWARE SECURITY"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 19:11
S21	14	OBFUSCATION with ENHANCING with SOFTWARE with SECURITY	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 12:11